

Search for pa... Basic parameters Car body Engine Electric motor Transmission Chassis steering Wheel brake Passive security Active safety Driving control Four-wheel drive/o Driving hardware Driving function Appearance/Anti-tf Lights outside the c Skylight/glass Exterior rearview m Screen/System Intelligent configur Steering wheel/inn Charging in the car Seat configuration Audio/in-car lightin Air conditioner/refri Color	Current position: Choose a car > Jietu > Jietu Mountain and Sea T2 > Parameter configuration Annual model All are on sale ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂ ✂
---	--

	Type of motor	Permanent magnet/synchronization	Permanent magnet/synchronization	Permanent magnet/synchronization	Permanent magnet/synchronization	Permanent magnet/synchronization
	Total power of motor (kW)	165	165	165	165	165
	Total horsepower of electric motor (Ps)	224	224	224	224	224
	Total torque of electric motor (N·m)	390	390	390	390	390
	The maximum power of the front motor (kW)	165	165	165	165	165
	The maximum torque of the front motor (N·m)	390	390	390	390	390
	System comprehensive power (kW)	280	280	280	280	280
	System comprehensive power (Ps)	381	381	381	381	381
	System comprehensive torque (N·m)	610	610	610	610	610
	The number of driving motors	Double motor	Double motor	Double motor	Double motor	Double motor
	Motor layout	Front	Front	Front	Front	Front
	Battery type	● Lithium iron phosphate battery	● Lithium iron phosphate battery	● Lithium iron phosphate battery	● Lithium iron phosphate battery	● Lithium iron phosphate battery
	Cell brand	● China Innovation Aviation	● China Innovation Aviation	● The Ningde era	● The Ningde era	● The Ningde era
	Battery cooling method	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling
	WLTC pure electric range (km)	100	100	161	161	161
	CLTC pure electric range (km)	129	129	208	208	208
	Battery energy (kWh)	26.7	26.7	43.24	43.24	43.24
	Power consumption per 100 kilometers (kWh/100km)	20.5	20.5	20.8	—	—
	Fast charging function	Support	Support	Support	Support	Support
	Battery fast charging time (hours)	0.5	0.5	0.62	0.62	0.62
	Battery slow charging time (hours)	4	4	6	6	6
	Battery fast charging range (%)	30–80	30–80	30–80	30–80	30–80
	Battery slow charging range (%)	30–100	30–100	30–100	30–100	30–100
	Slow charging interface position	The rear right side of the car	The rear right side of the car	The rear right side of the car	The rear right side of the car	The rear right side of the car
	The position of the fast charging interface	The rear right side of the car	The rear right side of the car	The rear right side of the car	The rear right side of the car	The rear right side of the car
	External AC discharge power (kW)	6.6	6.6	6.6	6.6	6.6
	Transmission					
	Abbreviation	3 gears DHT	3 gears DHT	3 gears DHT	3 gears DHT	3 gears DHT
	Number of gears	three	three	three	three	three
	Type of gearbox	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)
Chassis steering						
Driving mode	● Front–wheel drive	● Front–wheel drive	● Front–wheel drive	● Front–wheel drive	● Front four–wheel drive	
Front suspension type	McPherson ● independent suspension	McPherson ● independent suspension	McPherson ● independent suspension	McPherson ● independent suspension	McPherson ● independent suspension	McPherson ● independent suspension
Rear suspension type	Multi–link ● independent suspension	Multi–link ● independent suspension	Multi–link ● independent suspension	Multi–link ● independent suspension	Multi–link ● independent suspension	Multi–link ● independent suspension
Type of help	● Electric power assistance	● Electric power assistance	● Electric power assistance	● Electric power assistance	● Electric power assistance	● Electric power assistance
Body structure	Carrying type	Carrying type	Carrying type	Carrying type	Carrying type	Carrying type
Wheel brake						
Types of front brake	● Ventilation disc type	● Ventilation disc type	● Ventilation disc type	● Ventilation disc type	● Ventilation disc type	● Ventilation disc type
Types of rear brake	● Disc type	● Disc type	● Disc type	● Disc type	● Disc type	● Disc type
Parking Brake Type	● Electronic parking	● Electronic parking	● Electronic parking	● Electronic parking	● Electronic parking	● Electronic parking
Specifications of front tires	● 255/60 R19.	● 255/60 R19.	● 255/55 R20.	● 255/60 R19.	● 255/55 R20.	
Specifications of rear tires	● 255/60 R19.	● 255/60 R19.	● 255/55 R20.	● 255/60 R19.	● 255/55 R20.	
Specification of spare tire	● Non–full size ○ Full size (600 yuan)	● Non–full size ○ Full size (600 yuan)	● Non–full size ○ Full size (600 yuan)	● Non–full size ○ Full size	● Non–full size ○ Full size	
How to place the spare tire	● Back–bearing	● Back–bearing	● Back–bearing	● Back–bearing	● Back–bearing	
Passive						
Standard						
Optional						
None						
Main/co–driver airbag	atibord ● / Vice ●	Lord ● / Vice ●	Lord ● / Vice ●	Lord ● / Vice ●	Lord ● / Vice ●	
Front/rear side airbags	Before ● / After–	Before ● / After–	Before ● / After–	Before ● / After–	Before ● / After–	
Front/rear head airbag (air curtain)	–	Before ● / After ●	Before ● / After ●	Before ● / After ●	Before ● / After ●	
Active						
Standard						
Optional						
None						
ABS anti–lock	tion ●	●	●	●	●	
BRABE FORCE DISTRIBUTION (EBD/CBC, ETC.)	●	●	●	●	●	
Brake assist (EBA/BAS/BA, etc.)	●	●	●	●	●	
Traction control (ASR/TCS/TRC, etc.)	●	●	●	●	●	
Body stability control (ESC/ESP/DSC, etc.)	●	●	●	●	●	
Tire pressure monitoring function	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display	
Reminder of unattended seat belt	● Front row	● Front row	● Front row	● Front row	● Front row	
ISOFIX child seat interface	●	●	●	●	●	
Lane Departure Warning System	–	●	●	●	●	
Active brake / active safety system	–	●	●	●	●	
Tips for fatigue driving	–	●	●	●	●	
DOW door opening warning	–	–	●	–	–	
Forward collision warning	–	●	●	●	●	
Rear collision warning	–	–	●	–	–	
Warning for low–speed driving	●	●	●	–	–	
Built–in driving recorder	–	●	●	●	●	
Road rescue call	●	●	●	●	●	
Anti–overturning system	●	●	●	●	●	
Driving						
Driving mode switching	● Exercise ● Economy ● Standard/Comfort ● Snow	● Exercise ● Economy ● Standard/Comfort ● Snow	● Exercise ● Economy ● Standard/Comfort ● Snow	● Exercise ● Economy ● Standard/Comfort ● Snow	● Exercise ● Economy ● Standard/Comfort ● Snow	● Exercise ● Economy ● Standard/Comfort ● Snow
Energy recovery system	●	●	●	●	●	
Automatic parking	●	●	●	●	●	
Uphill assistance	●	●	●	●	●	
Steep slopes and gentle descent	●	●	●	●	●	

Four-wheel	Standard				
Wading sensing system	Optional	Optional	Optional	Optional	Optional
Drag the hook				Manual	Manual
Driving	Standard				
Front/rear parking radar	Front- / Back	Before / After	Before / After	Before / After	Before / After
Driving assistance image	360-degree panoramic image	360-degree panoramic image	360-degree panoramic image	360-degree panoramic image	360-degree panoramic image
Transparent chassis/540-degree image					
Front sensing camera		Single eye	Single eye		
The number of cameras	4 pieces	5 pieces	5 pieces		
The number of in-car cameras		1 piece	1 piece		
The number of ultrasonic radars	4 pieces	8 pieces	8 pieces		
Driving	Standard				
Cruise system	Cruise at constant speed	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise
Assisted driving level		L2.	L2.	L2.	L2.
Reverse car side warning system					
Satellite navigation system					
Navigation road condition information display					
Map brand	Gao De	Gao De	Gao De	Gao De	Gao De
parallel line assistance					
Lane keeping assistance system					
Road traffic sign recognition					
Automatic lane change assistance					
Appearance/Anti-	Standard				
Wheel rim material	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy
Electric suction door	Tailgate	Tailgate	Tailgate	Tailgate	Tailgate
Electric trunk					
Roof rack					
Anti-theft electronic engine					
Central control lock in the car					
Key type	Remote control key Bluetooth key	Remote control key Bluetooth key	Remote control key Bluetooth key	Remote control key Bluetooth key	Remote control key Bluetooth key
Keyless launch system					
Keyless entry function	Driver's seat	Driver's seat	Driver's seat	Driver's seat	Driver's seat
Remote start function					
Side pedals	Fixed	Fixed	Fixed	Fixed	Fixed
Battery preheating					
External discharge					
Lights	Standard				
The source of near-light	LED.	LED.	LED.	LED.	LED.
Hid-bright light source	LED.	LED.	LED.	LED.	LED.
LED daytime running lights					
Adaptive far and near beam					
Automatic headlights					
Front fog lights		LED.	LED.	LED.	LED.
Adjustable headlight height					
Headlights delay in switching off					
Skylight/glass	Standard				
Type of skylight	The panoramic skylight can be opened (3,000 yuan)	The panoramic sunroof can be opened	The panoramic sunroof can be opened	The panoramic sunroof can be opened	The panoramic sunroof can be opened
Front/rear electric windows	Before / After	Before / After	Before / After	Before / After	Before / After
One-click lifting function of car window	The whole car	The whole car	The whole car	The whole car	The whole car
The anti-pinch function on car windows					
Multi-layer soundproof glass for side windows	Front row	Front row	Front row	Front row	Front row
Rear side privacy glass					
Makeup mirror in the car	Main driver's seat Co-pilot	Main driver + light Co-driver + light	Main driver + light Co-driver + light	Main driver + light Co-driver + light	Main driver + light Co-driver + light
Rear wipers					
Induction wiper function	Rain volume sensing type	Rain volume sensing type	Rain volume sensing type	Rain volume sensing type	Rain volume sensing type
Exterior	Standard				
External rearview mirror function	Electric adjustment Electric folding Rearview mirror heating Automatic folding of the lock car	Electric adjustment Electric folding Rearview mirror heating Automatic folding of the lock car	Electric adjustment Electric folding Rearview mirror memory Rearview mirror heating Reverse and automatically turn down Automatic folding of the lock car	Electric adjustment Electric folding Rearview mirror memory Rearview mirror heating Reverse and automatically turn down Automatic folding of the lock car	Electric adjustment Electric folding Rearview mirror memory Rearview mirror heating Reverse and automatically turn down Automatic folding of the lock car
Screen/System	Standard				
Central control color screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen
Central control screen size	15.6 inches	15.6 inches	15.6 inches	15.6 inches	15.6 inches
Bluetooth / car phone					
Mobile phone interconnection / mapping					
Voice recognition control system	Multimedia system Navigation Telephone Air conditioner Skylight Car window	Multimedia system Navigation Telephone Air conditioner Skylight Car window	Multimedia system Navigation Telephone Air conditioner Skylight Car window		
Voice assistant wake-up words	Hello, Xiaojie	Hello, Xiaojie	Hello, Xiaojie		
Voice sub-area wake-up recognition	Four areas	Four areas	Four areas	Four areas	Four areas
Voice continuous recognition					
Facial recognition					
Car computer smart chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Intelligent	Standard				
Internet of Vehicles					
4G/5G network	4G.	4G.	4G.	4G.	4G.
OTA upgrade					
Wi-Fi hotspot					

	In-car biological monitoring system	—	●	●	●	●
	Remote function of mobile phone APP	● Car door control ● Window control ● Start the vehicle ● Charging management ● Air conditioning control ● Vehicle condition inquiry/diagnosis Vehicle ● positioning/car search Make an ● appointment for maintenance/repair	● Car door control ● Window control ● Start the vehicle ● Charging management ● Air conditioning control ● Vehicle condition inquiry/diagnosis Vehicle ● positioning/car search Make an ● appointment for maintenance/repair	● Car door control ● Window control ● Start the vehicle ● Charging management ● Air conditioning control ● Vehicle condition inquiry/diagnosis Vehicle ● positioning/car search Make an ● appointment for maintenance/repair	●	●
	Car KTV	●	●	●	●	●
Steering						
	Steering wheel material	● cortex ○ Optional — None	● cortex	● cortex	● cortex	● cortex
	Steering wheel position adjustment	ation Manual up and down ● + front and back adjustment	Manual up and down ● + front and back adjustment	Manual up and down ● + front and back adjustment	Manual up and down ● + front and back adjustment	Manual up and down ● + front and back adjustment
	Shifting form	● Electronic gear shift	● Electronic gear shift	● Electronic gear shift	● Electronic gear shift	● Electronic gear shift
	Multifunctional steering wheel	●	●	●	●	●
	Steering wheel shift	—	—	—	—	—
	Steering wheel heating	—	●	●	●	●
	Steering wheel memory	—	—	—	—	—
	Driving computer display screen	● Color	● Color	● Color	● Color	● Color
	Full LCD dashboard	●	●	●	●	●
	Size of LCD instrument	● 10.25 inches	● 10.25 inches	● 10.25 inches	● 10.25 inches	● 10.25 inches
	Inner rearview mirror function	● Manual anti-glare	● Manual anti-glare	● Automatic anti-glare	● Manual anti-glare	● Manual anti-glare
Charging in						
	Multimedia/charging interface	ation ● USB. ● Type-C	● USB. ● Type-C	● USB. ● Type-C	● USB. ● Type-C	● USB. ● Type-C
	Number of USB/Type-C interfaces	● 4 in the front row/2 in the back row	● 4 in the front row/2 in the back row	● 4 in the front row/2 in the back row	● 4 in the front row/2 in the back row	● 4 in the front row/2 in the back row
	220V/230V power supply	—	●	●	●	●
	Wireless charging function of mobile phone	—	● Front row	● Front row	● Front row	● Front row
	Wireless charging power of mobile phones	—	● 50 W	● 50 W	● 50 W	● 50 W
	Luggage compartment 12V power interface	●	●	●	●	●
Seat						
	Seat material	ation ● Imitation leather ● Leather/fabric mix and match	● Imitation leather ● Leather/fabric mix and match	● Imitation leather ● Leather/fabric mix and match	● Imitation leather ● Leather/fabric mix and match	● Imitation leather ● Leather/fabric mix and match
	Main seat adjustment method	● Front and back adjustment ● Backrest adjustment High and low ● adjustment (2 directions)	● Front and back adjustment ● Backrest adjustment High and low ● adjustment (2 directions)	● Front and back adjustment ● Backrest adjustment High and low ● adjustment (2 directions)	● Front and back adjustment ● Backrest adjustment High and low ● adjustment (2 directions)	● Front and back adjustment ● Backrest adjustment High and low ● adjustment (2 directions)
	The adjustment method of the secondary seat	● Front and back adjustment ● Backrest adjustment	● Front and back adjustment ● Backrest adjustment ● Leg support adjustment	● Front and back adjustment ● Backrest adjustment ● Leg support adjustment	● Front and back adjustment ● Backrest adjustment ● Leg support adjustment	● Front and back adjustment ● Backrest adjustment ● Leg support adjustment
	Main/co-driver's seat electric adjustment	Lord ● / Vice—	Lord ● / Vice ●	Lord ● / Vice ●	Lord ● / Vice ●	Lord ● / Vice ●
	Front seat function	—	● Heat ● Ventilate	● Heat ● Ventilate	● Heat ● Ventilate	● Heat ● Ventilate
	Electric seat memory function	—	● Driver's seat ● Co-pilot's seat	● Driver's seat ● Co-pilot's seat	● Driver's seat ● Co-pilot's seat	● Driver's seat ● Co-pilot's seat
	The adjustable button in the back of the co-driver's seat	—	—	—	—	—
	Second-row seat adjustment	● Backrest adjustment	● Backrest adjustment	● Backrest adjustment	● Backrest adjustment	● Backrest adjustment
	Rear seat folding form	● Put down the proportion	● Put down the proportion	● Put down the proportion	● Put down the proportion	● Put down the proportion
	Front/rear central armrest	Before ● / After ●	Before ● / After ●	Before ● / After ●	Before ● / After ●	Before ● / After ●
	Rear cup holder	●	●	●	●	●
Audio/in-						
	Brand name of speaker	ation —	● SONY Sony	—	—	—
	Number of speakers	● 8 horns	● 8 horns	● 12 speakers	● 8 horns	● 8 horns
	Touch reading light	—	—	●	—	—
	In-car ambient light	—	● Multicolor	● Multicolor	● Multicolor	● Multicolor
	Active environmental atmosphere lamp	—	●	●	●	●
Air						
	Air conditioning temperature control method	● configuration ● Automatic air conditioning	● Automatic air conditioning	● Automatic air conditioning	● Automatic air conditioning	● Automatic air conditioning
	Independent rear air conditioning	—	—	—	—	—
	Rear seat air outlet	●	●	●	●	●
	Temperature Zone Control	●	●	●	●	●
	Car air purifier	—	—	●	—	—
	PM2.5 filter device in the car	—	—	●	—	—
	Negative ion generator	—	—	●	—	—
	Fragrance device in the car	—	—	●	—	—
	Air quality monitoring	●	●	●	●	●
Color						
	Appearance color	■ Extreme night darkness ■ Highway gray 3,000 yuan ■ Snow mountain silver ■ Yan Yuqing	■ Extreme night darkness ■ Highway gray 3,000 yuan ■ Danxia orange ■ Snow mountain silver ■ Yan Yuqing	■ Extreme night darkness ■ Highway gray 3,000 yuan ■ Snow mountain silver ■ Yan Yuqing	■ Extreme night darkness ■ Highway gray 3,000 yuan ■ Snow mountain silver ■ Yan Yuqing	—
	Interior color	■ Black/Red ■ Green/Orange	■ Black/Red ■ Blue/White ■ Green/Orange	■ Black/Red ■ Blue/White	■ Black/Red ■ Green/Orange	—